




MARDENA ART CO., LTD




MQG-Y007240

棱晶遮光板, 透光率70-73%, 全方位反射, 配光均匀, 无眩光  
prismatic diffuser with 70-73% optical efficiency

产品规格描述: SPECIFICATIONS

型号 model	规格 spec	A (mm)	B (mm)	包装尺寸 packing(cm)	包装数量 (set/ctn)
MQG-Y007440	4x40W	1198	598	125x63x19	2
MQG-Y007340	3x40W	1198	598	125x63x19	2
MQG-Y007240	2x40W	1198	298	125x33x19	2
MQG-Y007140	1x40W	1198	183	125x21.5x19.5	2
MQG-Y007430	4x30W	893	598	95x63x19	2
MQG-Y007330	3x30W	893	598	95x63x19	2
MQG-Y007230	2x30W	893	298	95x33x19	2
MQG-Y007130	1x30W	893	183	95x21.5x19.5	2
MQG-Y007420	4x20W	598	598	65x63x19	2
MQG-Y007320	3x20W	598	598	65x63x19	2
MQG-Y007220	2x20W	598	298	65x33x19	2
MQG-Y007120	1x20W	598	183	65x21.5x19.5	2
MQG-Y007213	2x13W	300	300	65x33.5x20	4
MQG-Y007122	1x22W	300	300	65x33.5x20	4

灯体材质: 0.6mm冷轧钢板/散光器采用棱晶板/T8直管嵌入安装  
Material: 0.6mm steel housing for T8, prismatic diffuser



## T8棱晶板柔光灯盘

T8 luminaire with opal or prismatic diffuser

棱晶遮光板, 透光率70-73%  
(备注:灯框加密封条可达IP54)  
prismatic diffuser with 70-73% optical efficiency  
(remark: IP54 with gasket is available on request)





MARDENA ART CO.,LTD



MQG-Y005220

灯体材质: 用0.4mm冷轧钢板/灯罩用国产铝/V型或型格栅片/抛物弧形罩/T8直管/嵌入安装  
Material: 0.4mm steel housing with toughened body structure, single/double parabolic reflector


## 068经济型

### 068 Economical style

V、I形格栅/抛物弧反射器/经济形底盘  
Economical parabolic aluminum reflector economical housing

#### 产品规格描述: SPECIFICATIONS

型号 model	规格 spec	A (mm)	B (mm)	包装尺寸 packing(cm)	包装数量 set/ctn
MQG-Y005440	4x40W	1198	598	125x63x19	2
MQG-Y005340	3x40W	1198	598	125x63x19	2
MQG-Y005240	2x40W	1198	298	125x33x19	2
MQG-Y005430	4x30W	893	598	95x63x19	2
MQG-Y005330	3x30W	893	598	95x63x19	2
MQG-Y005230	2x30W	893	298	95x33x19	2
MQG-Y005420	4x20W	598	598	65x63x19	2
MQG-Y005320	3x20W	598	598	65x63x19	2
MQG-Y005220	2x20W	598	298	65x33x19	2



MQG-Y005340



MQG-Y005420



MQG-Y005420V



备注: A、B为灯体尺寸, 开孔尺寸为A、B各少18mm。  
NOTE: A & B are overall dimensions of the lamp body, and the hole opening dimensions will be 18mm less than A & B.





MARDENA ART CO.,LTD

## 明装金卤灯


Surface mounted downlight for metal halide lamps

一体化，吸吊式，明装，安装简便快捷，安全  
Integral type, ceiling mounting or suspension, quick installation and safe

### 产品规格描述: SPECIFICATIONS

型号 model	规格 spec	外径 lamp diameter(mm)	高度 height (mm)	包装尺寸 packing(cm)	包装数量 (set/ctn)
MQT-J0058170	1X70W	215	260	69X46.5X29	6
MQT-J00581150	1X150W	215	260	69X46.5X29	6
MQT-J0058126	1X26W	215	260	69X46.5X29	6
MQT-J0068170	1X70W	215	280	69X46.5X35	6
MQT-J00681150	1X150W	215	280	69X46.5X35	6
MQT-J0068126	1X26W	215	280	69X46.5X35	6

灯体材质: 优质钢板/反射器: 台湾高纯铝杯/  
灯管类型: 单端金卤灯、双端金卤灯、PLC灯管/安装方式: 明装、吊装  
Material: Steel housing, anodized aluminium reflector  
Optional lamp: single ended metal halide, double ended metal halide, PLC lamp







MARDENA ART CO.,LTD



MQT-Y00108226



MQT-Y00105213



MQT-Y00104110



MQT-Y00106218





MQT-Y00105113

## D1筒灯

### D1 downlight

灯体材质：灯圈采用优质钢板/灯体采用进口电解板反射器采用台湾高纯铝杯中中间加防雾玻璃/灯管  
装入方式为：横插/嵌入式安装

Material: Galvanized steel body and steel ring, anodized aluminium reflector, tempered glass



#### 产品规格描述：SPECIFICATIONS

型号 model	规格 spec	开孔尺寸 cut-out(mm)	外径 lamp diameter(mm)	高度 height (mm)	包装尺寸 packing(cm)	包装数量 (set/ctn)
MQT-Y00104110	1x10W	130	150	95	64x35x49	24
MQT-Y00104140	1x40W(E27)	130	150	95	64x35x49	24
MQT-Y00105113	1x13W	155	180	115	69x43x34	12
MQT-Y00105140	1x40W(E27)	155	180	115	69x43x34	12
MQT-Y00106113	1x13W	165	180	115	69x43x34	12
MQT-Y00106118	1x18W	165	193	115	69x43x34	12
MQT-Y00106140	1x40W(E27)	165	193	115	69x43x34	12
MQT-Y00106213	2x13W	165	193	115	69x43x34	12
MQT-Y00106218	2x18W	165	193	115	69x43x34	12
MQT-Y00108213	2x13W	205	235	130	69x49.5x29	8
MQT-Y00108218	2x18W	205	235	130	69x49.5x29	8
MQT-Y00108226	2x26W	205	235	130	69x49.5x29	8